

OpcEventFilterFactory Members

Namespace: Opc.UaFx.Client

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcEventFilterFactory](#) type exposes the following members.

Properties

Client

C#

```
protected OpcClient Client { get; }
```

Property Value

[OpcClient](#)

Methods

ConstructSelectClause()

C#

```
protected virtual OpcSimpleAttributeOperandCollection ConstructSelectClause()
```

Returns

[OpcSimpleAttributeOperandCollection](#)

ConstructWhereClause()

C#

```
protected virtual OpcContentFilter ConstructWhereClause()
```

Returns

[OpcContentFilter](#)

Select(IEnumerable<OpcSimpleAttributeOperand>)

C#

```
public OpcEventFilter Select(IEnumerable<OpcSimpleAttributeOperand> operands)
```

Parameters

operands [IEnumerable<OpcSimpleAttributeOperand>](#)

Returns

[OpcEventFilter](#)

Select(OpcSimpleAttributeOperand[])

C#

```
public OpcEventFilter Select(params OpcSimpleAttributeOperand[] operands)
```

Parameters

operands [OpcSimpleAttributeOperand\[\]](#)

Returns

[OpcEventFilter](#)

Where(OpcContentFilter)

C#

```
public virtual OpcEventFilterConstrainedFactory Where(OpcContentFilter constraint)
```

Parameters

constraint [OpcContentFilter](#)

Returns

[OpcEventFilterConstrainedFactory](#)

Exceptions

[ArgumentNullException](#)

Where(OpcContentFilterElement)

C#

```
public OpcEventFilterConstrainedFactory Where(OpcContentFilterElement constraint)
```

Parameters

constraint [OpcContentFilterElement](#)

Returns

[OpcEventFilterConstrainedFactory](#)

Exceptions

[ArgumentNullException](#)

Table of Contents

Properties	1
Client	1
Methods	1
ConstructSelectClause()	1
ConstructWhereClause()	1
Select(IEnumerable<OpcSimpleAttributeOperand>)	1
Select(OpcSimpleAttributeOperand[])	2
Where(OpcContentFilter)	2
Where(OpcContentFilterElement)	3