

OpcInstanceNodeInfo Class

Namespace: Opc.UaFx.Client

Assemblies: Opc.UaFx.Advanced.dll

Provides properties and methods for the examination of the attributes and references of a node which is classified as a specialization of an instance node.

C#

```
public abstract class OpcInstanceNodeInfo : OpcNodeInfo, IOpcNodeInfo
```

Inheritance Object > OpcNodeInfo > OpcInstanceNodeInfo

Derived

- [OpcObjectNodeInfo](#)
- [OpcVariableNodeInfo](#)

Implements [IOpcNodeInfo](#)

Constructors

Name	Description
OpcInstanceNodeInfo(OpcBrowseNodeContext, OpcReferenceDescription)	Initializes a new instance of the OpcInstanceNodeInfo class using the used context and concrete reference to the object node which is to be represented.
OpcInstanceNodeInfo(OpcNodeInfo, OpcReferenceDescription)	Initializes a new instance of the OpcInstanceNodeInfo class using node information from which the new node information originates from and the concrete reference to the node which is to be represented.

Properties

Name	Description
Category	Gets the classification of the node using one of the predefined categories. (Inherited from OpcNodeInfo)
Context	Gets the browse setup and context to use to inspect the node, its attributes and its relationships to other nodes. (Inherited from OpcNodeInfo)
DisplayName	Gets the value of the DisplayNameOpcAttribute which defines the localizable name of the node. (Inherited from OpcNodeInfo)
Name	Gets the nominal information of the node represented. (Inherited from OpcNodeInfo)

Name	Description
Nodeld	Gets the node identifier of the node represented. (Inherited from OpcNodeInfo)
Reference	Gets the description of the node reference through that the node represented has been located. (Inherited from OpcNodeInfo)
TypeDefinition	Gets the OpcTypeNodeInfo about the type definition node of the instance node represented.
TypeDefinitionId	Gets the OpcNodeId about the type definition node of the instance node represented.

Methods

Name	Description
Attribute(OpcAttribute)	Retrieves the OpcAttributeInfo of the node that has the specified OpcAttribute identifier. (Inherited from OpcNodeInfo)
Attribute(String)	Retrieves the OpcAttributeInfo of the node that is known using the specified browseName . (Inherited from OpcNodeInfo)
Attributes	Retrieves for each OpcAttribute identifier the according OpcAttributeInfo of the node. (Inherited from OpcNodeInfo)
Attributes(IEnumerable)	Retrieves for each OpcAttribute identifier specified by attributes the according OpcAttributeInfo of the node. (Inherited from OpcNodeInfo)
Attributes(IEnumerable)	Retrieves the OpcAttributeInfo of the node that is known using the specified browseNames . (Inherited from OpcNodeInfo)
Attributes(OpcAttribute)	Retrieves for each OpcAttribute identifier specified by attributes the according OpcAttributeInfo of the node. (Inherited from OpcNodeInfo)
Attributes(String)	Retrieves the OpcAttributeInfo of the node that is known using the specified browseNames . (Inherited from OpcNodeInfo)
AttributeValue(OpcAttribute)	Retrieves the value of the attribute specified. (Inherited from OpcNodeInfo)
AttributeValue`1(OpcAttribute)	Retrieves the value of the attribute specified. (Inherited from OpcNodeInfo)
Child(String)	Retrieves the OpcNodeInfo of the child node that is known using the specified name of the node. (Inherited from OpcNodeInfo)
Children	Retrieves for each child node of the node represented the according OpcNodeInfo . (Inherited from OpcNodeInfo)
Children(OpcNodeCategory)	Retrieves for each child node of the category specified of the node represented the according OpcNodeInfo . (Inherited from OpcNodeInfo)
Children(OpcReferenceType)	Retrieves for each child node referenced using the referenceType specified the according OpcNodeInfo . (Inherited from OpcNodeInfo)
Parent(String)	Retrieves the OpcNodeInfo of the parent node that is known using the specified name of the node. (Inherited from OpcNodeInfo)

Name	Description
Parents	Retrieves for each parent node of the node represented the according OpcNodeInfo . (Inherited from OpcNodeInfo)
Parents(OpcNodeCategory)	Retrieves for each parent node of the category specified of the node represented the according OpcNodeInfo . (Inherited from OpcNodeInfo)
Parents(OpcReferenceType)	Retrieves for each parent node referenced using the referenceType specified the according OpcNodeInfo . (Inherited from OpcNodeInfo)

Table of Contents

Constructors	1
Properties	1
Methods	2