OpcNodeHistoryCommand Class

Namespace: Opc.UaFx.Client
Assemblies: Opc.UaFx.Advanced.dll

C#

```
public abstract class OpcNodeHistoryCommand : OpcNodeServiceCommand
```

Inheritance Object › OpcServiceCommand › OpcNodeServiceCommand › OpcNodeHistoryCommand

Derived

- OpcDeleteNodeHistory
- OpcDeleteNodeHistoryAtTime
- OpcDeleteNodeHistoryModified
- OpcUpdateNodeHistory

Constructors

Name	Description
OpcNodeHistoryCommand(Int32)	
OpcNodeHistoryCommand(Int32, Int32)	
OpcNodeHistoryCommand(OpcNodeId)	
OpcNodeHistoryCommand(String)	
OpcNodeHistoryCommand(String, Int32)	

Properties

Name	Description
NodeId	Gets the node identifier of the node on which a node orientated service have to operate on. (Inherited from OpcNodeServiceCommand)
SupportsNullNodeId	Gets a value indicating whether the OpcNodeServiceCommand supports instances of the OpcNodeId class its IsNull provides a value equals to the value true. (Inherited from OpcNodeServiceCommand)

Methods

Name	Description
DenyNullIdentifier(OpcNodeId, String)	Verifies whether the `value` is a null identifier by checking the IsNull property. (Inherited from OpcNodeServiceCommand)

Table of Contents

Constructors 1
Properties 1
Methods 1