

# OpcNodeValueExtensions Class

**Namespace:** Opc.UaFx.Client

**Assemblies:** Opc.UaFx.Advanced.dll

Provides a set of static (Shared in Visual Basic) methods to perform different [OpcClient](#) related tasks using [OpcNodeValue`1](#) instances.

**C#**

```
public static class OpcNodeValueExtensions
```

**Inheritance** Object > OpcNodeValueExtensions

## Methods

Name	Description
Read``1(IEnumerable, OpcClient)	Reads one or more values of one or more value attributes of one or more nodes represented by the <code>nodes</code> specified.
Read``1(OpcNodeValue, OpcClient)	Reads the value of the value attribute of the node represented by the <code>node</code> specified.
Write``1(IEnumerable, OpcClient)	Writes one or more values to one or more value attributes of one or more nodes represented by the <code>nodes</code> specified.
Write``1(IEnumerable, OpcClient, IEnumerable)	Writes one or more values to one or more value attributes of one or more nodes represented by the <code>nodes</code> using the <code>values</code> specified.
Write``1(IEnumerable, OpcClient, )	Writes one or more values to one or more value attributes of one or more nodes represented by the <code>nodes</code> using the <code>values</code> specified.
Write``1(OpcNodeValue, OpcClient)	Writes the value attribute of the <code>node</code> specified.
Write``1(OpcNodeValue, OpcClient, )	Writes the value attribute of the <code>node</code> using the <code>value</code> specified.



# Table of Contents

<b>Methods</b> .....	1
----------------------	---