

OpcAddCommentMethodNode Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcAddCommentMethodNode](#) type exposes the following members.

Constructors

OpcAddCommentMethodNode(IOPcNode, OpcName, OpcAddCommentMethodNode.AddCommentCallback)

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the `name` specified with the [AddCommentCallback](#) call given by `callback` as a child node of the `parent` node given.

C#

```
public OpcAddCommentMethodNode(IOPcNode parent, OpcName name,  
OpcAddCommentMethodNode.AddCommentCallback callback)
```

Parameters

`parent` [IOPcNode](#)

The [IOPcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

`name` [OpcName](#)

The [OpcName](#) through that the new add comment method node can be accessed.

`callback` [AddCommentCallback](#)

The [AddCommentCallback](#) to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(IOPcNode, OpcName, OpcAddCommentMethodNode.AddCommentExCallback)

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the `name` specified with the [AddCommentExCallback](#) call given by `callback` as a child node of the `parent` node given.

C#

```
public OpcAddCommentMethodNode(IOPcNode parent, OpcName name,  
OpcAddCommentMethodNode.AddCommentExCallback callback)
```

Parameters

parent IOpcNode

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

name OpcName

The [OpcName](#) through that the new add comment method node can be accessed.

callback AddCommentExCallback

The [AddCommentExCallback](#) to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode([IOpcNode](#), [OpcName](#),
[OpcNodeId](#),
[OpcAddCommentMethodNode.AddCommentCallback](#))

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the [name](#) and [id](#) specified with the delegate to call defined by [callback](#) as a child node of the [parent](#) node given.

C#

```
public OpcAddCommentMethodNode(IOpcNode parent, OpcName name, OpcNodeId id,  
OpcAddCommentMethodNode.AddCommentCallback callback)
```

Parameters

parent IOpcNode

The [IOpcNode](#) used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

name OpcName

The [OpcName](#) through that the new add comment method node can be accessed.

id OpcNodeId

The [OpcNodeId](#) through that the new add comment method node can be identified and accessed.

callback AddCommentCallback

The [AddCommentCallback](#) to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode([IOpcNode](#), [OpcName](#),
[OpcNodeId](#),
[OpcAddCommentMethodNode.AddCommentExCallback](#))

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the [name](#) and [id](#) specified with the delegate to call defined by [callback](#) as a child node of the [parent](#) node given.

C#

```
public OpcAddCommentMethodNode(IopcNode parent, OpcName name, OpcNodeId id,  
OpcAddCommentMethodNode.AddCommentExCallback callback)
```

Parameters

parent `IopcNode`

The `IopcNode` used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

name `OpcName`

The `OpcName` through that the new add comment method node can be accessed.

id `OpcNodeId`

The `OpcNodeId` through that the new add comment method node can be identified and accessed.

callback `AddCommentExCallback`

The `AddCommentExCallback` to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(OpcAddCommentMethodNode.AddCommentCallback)

Initializes a new instance of the `OpcAddCommentMethodNode` class with the `AddCommentCallback` call given by `callback`.

C#

```
public OpcAddCommentMethodNode(OpcAddCommentMethodNode.AddCommentCallback callback)
```

Parameters

callback `AddCommentCallback`

The `AddCommentCallback` to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(OpcAddCommentMethodNode.AddCommentExCallback)

Initializes a new instance of the `OpcAddCommentMethodNode` class with the `AddCommentExCallback` call given by `callback`.

C#

```
public OpcAddCommentMethodNode(OpcAddCommentMethodNode.AddCommentExCallback callback)
```

Parameters

callback `AddCommentExCallback`

The [AddCommentExCallback](#) to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(OpcName, OpcAddCommentMethodNode.AddCommentCallback)

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the `name` specified with the [AddCommentCallback](#) call given by `callback`.

C#

```
public OpcAddCommentMethodNode(OpcName name, OpcAddCommentMethodNode.AddCommentCallback  
callback)
```

Parameters

`name` [OpcName](#)

The [OpcName](#) through that the new add comment method node can be accessed.

`callback` [AddCommentCallback](#)

The [AddCommentCallback](#) to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(OpcName, OpcAddCommentMethodNode.AddCommentExCallback)

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the `name` specified with the [AddCommentExCallback](#) call given by `callback`.

C#

```
public OpcAddCommentMethodNode(OpcName name, OpcAddCommentMethodNode.AddCommentExCallback  
callback)
```

Parameters

`name` [OpcName](#)

The [OpcName](#) through that the new add comment method node can be accessed.

`callback` [AddCommentExCallback](#)

The [AddCommentExCallback](#) to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(OpcName, OpcNodeId, OpcAddCommentMethodNode.AddCommentCallback)

Initializes a new instance of the [OpcAddCommentMethodNode](#) class accessible by the `name` and `id` specified with the delegate to call given by `callback`.

C#

```
public OpcAddCommentMethodNode(OpcName name, OpcNodeId id,
OpcAddCommentMethodNode.AddCommentCallback callback)
```

Parameters

name `OpcName`

The `OpcName` through that the new add comment method node can be accessed.

id `OpcNodeId`

The `OpcNodeId` through that the new add comment method node can be identified and accessed.

callback `AddCommentCallback`

The `AddCommentCallback` to call on method invocation of the new add comment method node.

OpcAddCommentMethodNode(OpcName, OpcNodeId, OpcAddCommentMethodNode.AddCommentExCallback)

Initializes a new instance of the `OpcAddCommentMethodNode` class accessible by the `name` and `id` specified with the delegate to call given by `callback`.

C#

```
public OpcAddCommentMethodNode(OpcName name, OpcNodeId id,
OpcAddCommentMethodNode.AddCommentExCallback callback)
```

Parameters

name `OpcName`

The `OpcName` through that the new add comment method node can be accessed.

id `OpcNodeId`

The `OpcNodeId` through that the new add comment method node can be identified and accessed.

callback `AddCommentExCallback`

The `AddCommentExCallback` to call on method invocation of the new add comment method node.

Properties

DefaultTypeDefinitionId

Gets the default identifier which identifies the node that defines the underlying node type from that this `OpcInstanceNode` has been created.

C#

```
protected override OpcNodeId DefaultTypeDefinitionId { get; }
```

Property Value

OpcNodeID

The **OpcNodeID** of the type node from that this **OpcInstanceNode** has been created from. These type node defines the typical structure of an instance node of its type definition. If there exists no specific type definition node a null reference (Nothing in Visual Basic).

Table of Contents

Constructors	1
OpcAddCommentMethodNode(IOPCNode, OpcName, OpcAddCommentMethodNode.AddCommentCallback)	1
OpcAddCommentMethodNode(IOPCNode, OpcName, OpcAddCommentMethodNode.AddCommentExCallback)	1
OpcAddCommentMethodNode(IOPCNode, OpcName, OpcNodeld, OpcAddCommentMethodNode.AddCommentCallback)	2
OpcAddCommentMethodNode(IOPCNode, OpcName, OpcNodeld, OpcAddCommentMethodNode.AddCommentExCallback)	2
OpcAddCommentMethodNode(OpcAddCommentMethodNode.AddCommentCallback)	3
OpcAddCommentMethodNode(OpcAddCommentMethodNode.AddCommentExCallback)	3
OpcAddCommentMethodNode(OpcName, OpcAddCommentMethodNode.AddCommentCallback)	4
OpcAddCommentMethodNode(OpcName, OpcAddCommentMethodNode.AddCommentExCallback)	4
OpcAddCommentMethodNode(OpcName, OpcNodeld, OpcAddCommentMethodNode.AddCommentCallback)	4
OpcAddCommentMethodNode(OpcName, OpcNodeld, OpcAddCommentMethodNode.AddCommentExCallback)	5
Properties	5
DefaultTypeDefinitionId	5

