

OpcAddFolderNode Class

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll

Defines a single command of the [IOpcAddNodesService](#) used to add one folder node.

C#

```
public class OpcAddFolderNode : OpcAddObjectNode
```

Inheritance Object > OpcServiceCommand > OpcNodeServiceCommand > OpcAddNode > OpcAddInstanceNode > OpcAddObjectNode > OpcAddFolderNode

Constructors

Name	Description
OpcAddFolderNode(OpcName)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add. The according OpcNodeID to identify and access the new node is determined by the service. The new node will be a child of the ObjectsFolder node using Organizes as the type of reference.
OpcAddFolderNode(OpcName, OpcAddInstanceNode)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add. The according OpcNodeID to identify and access the new node is determined by the service. The new node will be a child of the ObjectsFolder node using Organizes as the type of reference.
OpcAddFolderNode(OpcName, OpcNodeID)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add, which shall be additionally accessible by the nodeID defined. The new node will be a child of the ObjectsFolder node using Organizes as the type of reference.
OpcAddFolderNode(OpcName, OpcNodeID, OpcAddInstanceNode)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add, which shall be additionally accessible by the nodeID defined. The new node will be a child of the ObjectsFolder node using Organizes as the type of reference.
OpcAddFolderNode(OpcName, OpcNodeID, OpcNodeID)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add, which shall be additionally accessible by the nodeID defined. The new node will be a child of the node identified by parentNodeId using Organizes as the type of reference.
OpcAddFolderNode(OpcName, OpcNodeID, OpcNodeID, OpcAddInstanceNode)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add, which shall be additionally accessible by the nodeID defined. The new node will be a child of the node identified by parentNodeId using Organizes as the type of reference.
OpcAddFolderNode(OpcName, OpcNodeID, OpcNodeID, OpcNodeID)	Initializes a new instance of the OpcAddFolderNode class using the name of the folder node to add, which shall be additionally accessible by the nodeID defined. The new node will be a child of the node identified by parentNodeId using the type of reference identified by the referenceTypeID specified.

Name	Description
OpcAddFolderNode(OpcName, OpcNodeld, OpcNodeld, OpcNodeld, OpcAddInstanceNode)	Initializes a new instance of the OpcAddFolderNode class using the <code>name</code> of the folder node to add, which shall be additionally accessible by the <code>nodeId</code> defined. The new node will be a child of the node identified by <code>parentNodeId</code> using the type of reference identified by the <code>referenceTypeId</code> specified.
OpcAddFolderNode(OpcName, OpcNodeld, OpcNodeld, OpcReferenceType)	Initializes a new instance of the OpcAddFolderNode class using the <code>name</code> of the folder node to add, which shall be additionally accessible by the <code>nodeId</code> defined. The new node will be a child of the node identified by <code>parentNodeId</code> using the <code>referenceType</code> specified as the type of reference.
OpcAddFolderNode(OpcName, OpcNodeld, OpcNodeld, OpcReferenceType, OpcAddInstanceNode)	Initializes a new instance of the OpcAddFolderNode class using the <code>name</code> of the folder node to add, which shall be additionally accessible by the <code>nodeId</code> defined. The new node will be a child of the node identified by <code>parentNodeId</code> using the <code>referenceType</code> specified as the type of reference.

Properties

Name	Description
Category	Gets a value indicating the classification of the node in the address space. (Inherited from OpcAddNode)
Children	Gets a collection of OpcAddNode instances which define the sub-ordinated nodes to add as children to the node to add. (Inherited from OpcAddInstanceNode)
Description	Gets or sets the localized description of the meaning of the node. (Inherited from OpcAddNode)
DisplayName	Gets or sets the localized name of the node. (Inherited from OpcAddNode)
Name	Gets the non-localised human-readable name of the node in the address space. (Inherited from OpcAddNode)
Nodeld	Gets the node identifier of the node on which a node orientated service have to operate on. (Inherited from OpcNodeServiceCommand)
ParentNodeld	Gets the identifier of the existing parent node of the new node. (Inherited from OpcAddNode)
ReferenceType	Gets a value which defines a pre-defined used ReferenceTypeld as one of the members defined by the OpcReferenceType enumeration to simplify querying standard reference types. (Inherited from OpcAddInstanceNode)
ReferenceTypeld	Gets the identifier which identifies the node that defines the semantic of the reference between a source and a target node and generally reflects an operation between the two, such as "A contains B". (Inherited from OpcAddInstanceNode)
SupportsNullNodeld	Gets a value indicating whether the OpcNodeServiceCommand supports instances of the OpcNodeld class its <code>IsNull</code> provides a value equals to the value true. (Inherited from OpcNodeServiceCommand)
SupportsNullNodeld	Gets a value indicating whether the OpcAddNode supports instances of the OpcNodeld class its <code>IsNull</code> provides a value equals to the value true. (Inherited from OpcAddNode)
Type	Gets value indicating the predefined underlying type definition the new node will represent an instance of. (Inherited from OpcAddObjectNode)

Name	Description
TypeDefinitionId	Gets the identifier which identifies the node that defines the underlying node type from that the instance node is to be created. (Inherited from OpcAddInstanceNode)
UserWriteAccess	Gets or sets a value which exposes the possibilities of a client to write the attributes of the node taking user access rights into account. (Inherited from OpcAddNode)
WriteAccess	Gets or sets a value which exposes the possibilities of a client to write the attributes of the node without taking user access rights into account. (Inherited from OpcAddNode)

Methods

Name	Description
DenyNullIdentifier(OpcNodeId, String)	Verifies whether the <code>value</code> is a null identifier by checking the <code>IsNull</code> property. (Inherited from OpcNodeServiceCommand)
OfType(OpcNodeId)	Retrieves an instance which represents the definition of an object type that can be used to define OpcAddObjectNode command instances using the type of object node represented by the TypeDefinition instance provided. (Inherited from OpcAddObjectNode)

Table of Contents

Constructors	1
Properties	2
Methods	3