

OpcBrowseOptions Enum

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll

Defines the attributes and metadata of a node to browse. Only these attributes and metadata which are included in the options are offered by the server while browsing.

C#

```
[Flags]  
public enum OpcBrowseOptions
```

Inheritance [Object](#) > [ValueType](#) > [Enum](#) > OpcBrowseOptions

Attributes [FlagsAttribute](#)

Fields

Name	Value	Description
None	0	The browse operation will only provide the NodeId attribute of a node being browsed.
IncludeReferenceTypeId	1	The browse operation will provide the identifiers of the references associated with a node being browsed.
IncludelsForward	2	The browse operation will offer the direction (see OpcReferenceDirection) of the references associated with a node being browsed.
IncludeCategory	4	The browse operation will offer the classification of a node (see OpcNodeCategory).
IncludeBrowseName	8	The browse operation will offer the name of a node used for browsing.
IncludeDisplayName	16	The browse operation will offer the name of a node used for display purpose.
IncludeTypeDefinition	32	The browse operation will offer identifier of the type definition used by a node being browsed.
IncludeAll	63	The browse operation will offer all information and metadata available associated with a node while browsing.
IncludeReferenceTypeInfo	3	The browse operation will offer all data about the reference type used by a node being browsed. This option combines IncludeReferenceTypeId and IncludelsForward).
IncludeTargetInfo	60	The browse operation will offer all data about the target node being browsed. This option uses IncludeAll but excludes references related information (included using IncludeReferenceTypeInfo).

Table of Contents

Fields	1
---------------------	---