

OpcCertificateStoreInfo Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcCertificateStoreInfo](#) type exposes the following members.

Constructors

OpcCertificateStoreInfo(String, OpcCertificateStoreType)

C#

```
public OpcCertificateStoreInfo(string path, OpcCertificateStoreType type)
```

Parameters

path String

type OpcCertificateStoreType

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

Properties

Path

C#

```
public string Path { get; set; }
```

Property Value

[String](#)

PathType

C#

```
public OpcCertificateStorePathType PathType { get; set; }
```

Property Value

[OpcCertificateStorePathType](#)

Type

C#

```
public OpcCertificateStoreType Type { get; }
```

Property Value

[OpcCertificateStoreType](#)

Methods

Add(X509Certificate2)

C#

```
public void Add(X509Certificate2 certificate)
```

Parameters

certificate [Cryptography.X509Certificates.X509Certificate2](#)

Exceptions

[ArgumentNullException](#)

[InvalidOperationException](#)

Clear()

C#

```
public void Clear()
```

Exceptions

[InvalidOperationException](#)

Contains(String)

C#

```
public bool Contains(string thumbprint)
```

Parameters

thumbprint [String](#)

Returns

[Boolean](#)

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

[InvalidOperationException](#)

Contains(X509Certificate2)

C#

```
public bool Contains(X509Certificate2 certificate)
```

Parameters

certificate [Cryptography.X509Certificates.X509Certificate2](#)

Returns

[Boolean](#)

Exceptions

[ArgumentNullException](#)

GetCertificate(String)

C#

```
public OpcCertificateInfo GetCertificate(string thumbprint)
```

Parameters

thumbprint [String](#)

Returns

[OpcCertificateInfo](#)

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

[InvalidOperationException](#)

GetCertificates()

C#

```
public OpcCertificateInfo[] GetCertificates()
```

Returns

[OpcCertificateInfo\[\]](#)

Exceptions

[InvalidOperationException](#)

Remove(String)

C#

```
public bool Remove(string thumbprint)
```

Parameters

thumbprint [String](#)

Returns

[Boolean](#)

Exceptions

[ArgumentException](#)

[ArgumentNullException](#)

[InvalidOperationException](#)

Remove(X509Certificate2)

C#

```
public bool Remove(X509Certificate2 certificate)
```

Parameters

certificate [Cryptography.X509Certificates.X509Certificate2](#)

Returns

[Boolean](#)

Exceptions

[ArgumentNullException](#)

ToString()

C#

```
public override string ToString()
```

Returns

[String](#)

Table of Contents

Constructors	1
OpcCertificateStoreInfo(String, OpcCertificateStoreType)	1
Properties	1
Path	1
PathType	2
Type	2
Methods	2
Add(X509Certificate2)	2
Clear()	2
Contains(String)	3
Contains(X509Certificate2)	3
GetCertificate(String)	4
GetCertificates()	4
Remove(String)	5
Remove(X509Certificate2)	5
ToString()	6

