

OpcDataTypeAttribute Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcDataTypeAttribute](#) type exposes the following members.

Constructors

OpcDataTypeAttribute(Byte[])

Initializes a new instance of the [OpcDataTypeAttribute](#) class using the `id` to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(byte[] id)
```

Parameters

`id` [Byte\[\]](#)

The opaque value of the data type node.

OpcDataTypeAttribute(Byte[], Int32)

Initializes a new instance of the [OpcDataTypeAttribute](#) class using the `id` and `namespaceIndex` to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(byte[] id, int namespaceIndex)
```

Parameters

`id` [Byte\[\]](#)

The opaque value of the data type node.

`namespaceIndex` [Int32](#)

The index of the namespace to that the data type node belongs.

OpcDataTypeAttribute(Byte[], String)

Initializes a new instance of the [OpcDataTypeAttribute](#) class using the `id` and `namespaceUri` specified to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(byte[] id, string namespaceUri)
```

Parameters

id `Byte[]`

The opaque value of the data type node.

namespaceUri `String`

The namespace URI that the **id** should refer to.

OpcDataTypeAttribute(Int32)

Initializes a new instance of the `OpcDataTypeAttribute` class using the **id** to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(int id)
```

Parameters

id `Int32`

The numeric identifier of the data type node.

OpcDataTypeAttribute(Int32, Int32)

Initializes a new instance of the `OpcDataTypeAttribute` class using the **id** and **namespaceIndex** to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(int id, int namespaceIndex)
```

Parameters

id `Int32`

The numeric identifier of the data type node.

namespaceIndex `Int32`

The index of the namespace to that the data type node belongs.

OpcDataTypeAttribute(Int32, String)

Initializes a new instance of the `OpcDataTypeAttribute` class using the **id** and **namespaceUri** specified to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(int id, string namespaceUri)
```

Parameters

id `Int32`

The numeric identifier of the data type node.

namespaceUri `String`

The namespace URI that the **id** should refer to.

OpcDataTypeAttribute(String)

Initializes a new instance of the `OpcDataTypeAttribute` class using the **id** to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(string id)
```

Parameters

id `String`

The textual identifier of the data type node.

OpcDataTypeAttribute(String, Int32)

Initializes a new instance of the `OpcDataTypeAttribute` class using the **id** and **namespaceIndex** to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(string id, int namespaceIndex)
```

Parameters

id `String`

The textual identifier of the data type node.

namespaceIndex `Int32`

The index of the namespace to that the data type node belongs.

OpcDataTypeAttribute(String, String)

Initializes a new instance of the `OpcDataTypeAttribute` class using the **id** and **namespaceUri** specified to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(string id, string namespaceUri)
```

Parameters

id String

The textual identifier of the data type node.

namespaceUri String

The namespace URI that the **id** should refer to.

OpcDataTypeAttribute(UInt32)

Initializes a new instance of the [OpcDataTypeAttribute](#) class using the **id** to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(uint id)
```

Parameters

id UInt32

The numeric identifier of the data type node.

OpcDataTypeAttribute(UInt32, Int32)

Initializes a new instance of the [OpcDataTypeAttribute](#) class using the **id** and **namespaceIndex** to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(uint id, int namespaceIndex)
```

Parameters

id UInt32

The numeric identifier of the data type node.

namespaceIndex Int32

The index of the namespace to that the data type node belongs.

OpcDataTypeAttribute(UInt32, String)

Initializes a new instance of the [OpcDataTypeAttribute](#) class using the **id** and **namespaceUri** specified to use to identify the according data type node.

C#

```
public OpcDataTypeAttribute(uint id, string namespaceUri)
```

Parameters

id UInt32

The numeric identifier of the data type node.

namespaceUri String

The namespace URI that the **Id** should refer to.

Properties

Description

Gets or sets a human readable text that describes the data type.

C#

```
public string Description { get; set; }
```

Property Value

String

A value which captures any semantic information that would help a human to understand what is contained in the data type.

Id

Gets the node identifier used to define the data type node of the **Type** to that the attribute has been applied.

C#

```
public OpcNodeId Id { get; }
```

Property Value

OpcNodeId

An instance of the **OpcNodeId** which identifies the data type node of the **Type** to that the attribute has been applied.

NamespaceUri

Gets or sets the URI (Uniform Resource Identifier) or string literal used to identify the namespace of the **Type**, to that the attribute has been applied, belongs to.

C#

```
public string NamespaceUri { get; set; }
```

Property Value

[String](#)

The URI (Uniform Resource Identifier) or string literal used to identify the namespace the type belongs to.

Remarks

The value of this property can be determined by reading the value attribute of the "NamespaceUri" variable node beneath the "DataTypeDictionary" variable node of the according "DataTypeSystem" object node within the type is described.

UseDataTypeDescription

Gets or sets a value indicating whether the data type is to be described in a custom data type dictionary.

C#

```
public bool UseDataTypeDescription { get; set; }
```

Property Value

[Boolean](#)

The value if the data type is to be described in a custom data type dictionary; otherwise the value false. The default value is true.

Methods

GetNamespace()

Retrieves the [OpcNamespace](#) referenced to by the [OpcDataTypeAttribute](#).

C#

```
public OpcNamespace GetNamespace()
```

Returns

[OpcNamespace](#)

A new [OpcNamespace](#) instance which represents the namespace information referenced by the [OpcDataTypeAttribute](#).

Table of Contents

Constructors	1
OpcDataTypeAttribute(Byte[])	1
OpcDataTypeAttribute(Byte[], Int32)	1
OpcDataTypeAttribute(Byte[], String)	1
OpcDataTypeAttribute(Int32)	2
OpcDataTypeAttribute(Int32, Int32)	2
OpcDataTypeAttribute(Int32, String)	2
OpcDataTypeAttribute(String)	3
OpcDataTypeAttribute(String, Int32)	3
OpcDataTypeAttribute(String, String)	3
OpcDataTypeAttribute(UInt32)	4
OpcDataTypeAttribute(UInt32, Int32)	4
OpcDataTypeAttribute(UInt32, String)	4
Properties	5
Description	5
Id	5
NamespaceUri	5
UseDataTypeDescription	6
Methods	6
GetNamespace()	6

