

OpcEndpointDescription Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcEndpointDescription](#) type exposes the following members.

Properties

Policy

C#

```
public OpcSecurityPolicy Policy { get; }
```

Property Value

[OpcSecurityPolicy](#)

ProxyUrl

C#

```
public Uri ProxyUrl { get; }
```

Property Value

[Uri](#)

Server

C#

```
public OpcApplicationDescription Server { get; }
```

Property Value

[OpcApplicationDescription](#)

ServerCertificate

C#

```
public X509Certificate2 ServerCertificate { get; }
```

Property Value

Cryptography.X509Certificates.X509Certificate2

TransportProfileUri

C#

```
public Uri TransportProfileUri { get; }
```

Property Value

Uri

Url

C#

```
public Uri Url { get; }
```

Property Value

Uri

Methods

Dispose()

Releases all resources used by the [OpcEndpointDescription](#).

C#

```
public void Dispose()
```

Dispose(Boolean)

Releases the unmanaged resources used by the [OpcEndpointDescription](#) and optionally releases the managed resources.

C#

```
protected virtual void Dispose(bool disposing)
```

Parameters

disposing Boolean

The value true to release both managed and unmanaged resources; otherwise the value false to release only unmanaged resources.

Table of Contents

Properties	1
Policy	1
ProxyUrl	1
Server	1
ServerCertificate	1
TransportProfileUri	2
Url	2
Methods	2
Dispose()	2
Dispose(Boolean)	2

