

OpcInstanceNodeSnapshot Class

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll

Defines a lightweight immutable deep snapshot of a whole 'Opc.UaFx.OpcInstanceNode'.

C#

```
public class OpcInstanceNodeSnapshot : IOpcReadOnlyNodeDataStore
```

Inheritance [Object](#) > OpcInstanceNodeSnapshot

Derived

- [OpcEventNodeSnapshot](#)

Implements [IOpcReadOnlyNodeDataStore](#)

Properties

Name	Description
Tag	Gets or sets the object that contains additional user data about the snapshot.

Methods

Name	Description
Create (OpcContext, OpcInstanceNode)	Creates a new OpcInstanceNodeSnapshot from the node specified.
Get`1 (OpcAttribute, OpcName)	Retrieves the value of the attribute of the element browsable through the name specified.
Get`1 (OpcAttribute, OpcName)	Retrieves the value of the attribute of the element browsable through the pathElements specified.
Get`1 (OpcAttribute, OpcNamePath)	Retrieves the value of the attribute of the element browsable through the path specified.
Get`1 (OpcAttribute, String)	Retrieves the value of the attribute of the element browsable through the name specified.
Get`1 (OpcName)	Retrieves the Value attribute of the element browsable through the name specified.
Get`1 (String)	Retrieves the Value attribute of the element browsable through the name specified.

Table of Contents

Properties	1
Methods	1