

OpcName Members

Namespace: Opc.UaFx

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcName](#) type exposes the following members.

Constructors

OpcName(String)

Initializes a new instance of the [OpcName](#) class using the **value** specified.

C#

```
public OpcName(string value)
```

Parameters

value String

The [String](#) value of the name to represent. A null reference (Nothing in Visual Basic) or a value equals [Empty](#) results into a null name (see [IsNull](#)).

OpcName(String, Int32)

Initializes a new instance of the [OpcName](#) class using the **value** and **namespaceIndex** specified.

C#

```
public OpcName(string value, int namespaceIndex)
```

Parameters

value String

The [String](#) value of the name to represent. A null reference (Nothing in Visual Basic) or a value equals [Empty](#) results into a null name (see [IsNull](#)).

namespaceIndex Int32

The index of the namespace that this name should refer to.

OpcName(String, OpcNamespace)

Initializes a new instance of the [OpcName](#) class using the **value** and **nameNamespace** specified.

C#

```
public OpcName(string value, OpcNamespace nameNamespace)
```

Parameters

value String

The String value of the name to represent. A null reference (Nothing in Visual Basic) or a value equals Empty results into a null name (see IsNull).

nameNamespace OpcNamespace

The namespace that this name should refer to.

Properties

IsNull

Gets a value indicating whether the name is a null name.

C#

```
public bool IsNull { get; }
```

Property Value

Boolean

The value true if the Value is a null reference (Nothing in Visual Basic) or equals to Empty; otherwise the value false.

Namespace

Gets the OpcNamespace used by the OpcName to describe the namespace to that the name belongs.

C#

```
public OpcNamespace Namespace { get; }
```

Property Value

OpcNamespace

An instance of the OpcNamespace with the known information about the namespace to that the OpcName belongs.

NamespaceIndex

Gets the index of the namespace that this name belongs.

C#

```
public int NamespaceIndex { get; }
```

Property Value

Int32

The index value which refers to the namespace in the namespace array of the server to that the name belong.

Remarks

The available namespaces of the server can be retrieved through reading the value of the namespaces-node using the node identifier 'OpcObjectTypes.Server.Namespaces'.

NamespaceUri

Gets the uniform resource identifier (URI) of the namespace referred by the [NamespaceIndex](#).

C#

```
public Uri NamespaceUri { get; }
```

Property Value

Uri

The [Uri](#) to that the [OpcName](#) refers using the [NamespaceIndex](#).

Null

Gets the default null name.

C#

```
public static OpcName Null { get; }
```

Property Value

OpcName

An instance of the [OpcName](#) which can be used for general purpose in cases there a null name is enough.

Value

Gets the name without any namespace information.

C#

```
public string Value { get; }
```

Property Value

String

The (unqualified) value of the name.

Methods

CompareTo(Object)

Compares the current [OpcName](#) with the [other](#).

C#

```
public int CompareTo(object other)
```

Parameters

[other](#) [Object](#)

The [OpcName](#) to compare with this [OpcName](#).

Returns

[Int32](#)

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(Object\)](#)).

CompareTo(OpcName)

Compares the current [OpcName](#) with another [OpcName](#).

C#

```
public int CompareTo(OpcName other)
```

Parameters

[other](#) [OpcName](#)

The [OpcName](#) to compare with this [OpcName](#).

Returns

[Int32](#)

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(\)](#)).

Equals(Object)

Determines whether the specified **other** is equal to this **OpcName**.

C#

```
public override bool Equals(object other)
```

Parameters

other Object

The **OpcName** to compare to the current **OpcName**.

Returns

Boolean

The value true if the specified **OpcName** is equal to the current **OpcName**; otherwise the value false.

Equals(OpcName)

Determines whether the specified **other** is equal to this **OpcName**.

C#

```
public bool Equals(OpcName other)
```

Parameters

other OpcName

The **OpcName** to compare to the current **OpcName**.

Returns

Boolean

The value true if the specified **OpcName** is equal to the current **OpcName**; otherwise the value false.

GetHashCode()

Retrieves a hash code for this **OpcName**.

C#

```
public override int GetHashCode()
```

Returns

Int32

An [Int32](#) that contains the hash code for the [OpcName](#).

IsNullOrEmpty(OpcName)

Indicates whether the specified [OpcName](#) is null or its [Value](#) is null or an empty string ("").

C#

```
public static bool IsNullOrEmpty(OpcName name)
```

Parameters

name [OpcName](#)

The [OpcName](#) to test.

Returns

[Boolean](#)

The value true if the **name** parameter or its [Value](#) is null or an empty string (""); otherwise the value false.

Remarks

This method ignores the circumstance whether the [Namespace](#) of the **name** might be specified anyway.

Parse(String)

Converts a name string to a [OpcName](#) instance.

C#

```
public static OpcName Parse(string value)
```

Parameters

value [String](#)

A string that contains a name.

Returns

[OpcName](#)

An instance of the [OpcName](#) class.

Exceptions

[FormatException](#)

The `value` is not a valid name.

ToString()

Returns a string representing the name.

C#

```
public override string ToString()
```

Returns

`String`

A string formatted with the `Value` and `Namespace` of the name.

TryParse(String, out OpcName)

Determines whether a string is a valid name.

C#

```
public static bool TryParse(string value, out OpcName name)
```

Parameters

`value` `String`

The string to validate.

`name` `OpcName`

The `OpcName` version of the string.

Returns

`Boolean`

The value true, if `value` is a valid name; otherwise the value false.

Operators

Equality(OpcName, OpcName)

Returns a value indicating whether two instance of `OpcName` are equal.

C#

```
public static bool operator ==(OpcName left, OpcName right)
```

Explicit(OpcName to QualifiedName)

Converts a [OpcName](#) to an [QualifiedName](#) object.

C#

```
[CLSCompliant(false)]  
public static explicit operator QualifiedName(OpcName value)
```

GreaterThan(OpcName, OpcName)

Determines whether the first specified [OpcName](#) object is greater than the second specified [OpcName](#) object.

C#

```
public static bool operator >(OpcName left, OpcName right)
```

GreaterThanOrEqual(OpcName, OpcName)

Determines whether the first specified [OpcName](#) object is greater than or equal to the second specified [OpcName](#) object.

C#

```
public static bool operator >=(OpcName left, OpcName right)
```

Implicit(QualifiedName to OpcName)

Converts a [QualifiedName](#) to an [OpcName](#) object.

C#

```
[CLSCompliant(false)]  
public static implicit operator OpcName(QualifiedName value)
```

Implicit(String to OpcName)

Converts a [String](#) to an [OpcName](#) object.

C#

```
public static implicit operator OpcName(string value)
```

Inequality(OpcName, OpcName)

Returns a value indicating whether two instances of [OpcName](#) are not equal.

C#

```
public static bool operator !=(OpcName left, OpcName right)
```

LessThan(OpcName, OpcName)

Determines whether the first specified [OpcName](#) object is less than the second specified [OpcName](#) object.

C#

```
public static bool operator <(OpcName left, OpcName right)
```

Exceptions

[ArgumentNullException](#)

The [left](#) is a null reference (Nothing in Visual Basic).

LessThanOrEqual(OpcName, OpcName)

Determines whether the first specified [OpcName](#) object is less than or equal to the second [OpcName](#) object.

C#

```
public static bool operator <=(OpcName left, OpcName right)
```

Exceptions

[ArgumentNullException](#)

The [left](#) is a null reference (Nothing in Visual Basic).

Table of Contents

Constructors	1
OpcName(String)	1
OpcName(String, Int32)	1
OpcName(String, OpcNamespace)	1
Properties	2
IsNull	2
Namespace	2
NamespaceIndex	2
NamespaceUri	3
Null	3
Value	3
Methods	4
CompareTo(Object)	4
CompareTo(OpcName)	4
Equals(Object)	5
Equals(OpcName)	5
GetHashCode()	5
IsNullOrEmpty(OpcName)	6
Parse(String)	6
ToString()	7
TryParse(String, out OpcName)	7
Operators	7
Equality(OpcName, OpcName)	7
Explicit(OpcName to QualifiedName)	8
GreaterThan(OpcName, OpcName)	8
GreaterThanOrEqual(OpcName, OpcName)	8
Implicit(QualifiedName to OpcName)	8
Implicit(String to OpcName)	8
Inequality(OpcName, OpcName)	8
LessThan(OpcName, OpcName)	9
LessThanOrEqual(OpcName, OpcName)	9