

# OpcNodeReferenceSet Members

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcNodeReferenceSet](#) type exposes the following members.

## Constructors

### OpcNodeReferenceSet(IEnumerable<OpcNodeReference>)

Initializes a new instance of the [OpcNodeReferenceSet](#) class using the **references** specified.

**C#**

```
public OpcNodeReferenceSet (IEnumerable<OpcNodeReference> references)
```

#### Parameters

**references** [IEnumerable<OpcNodeReference>](#)

The sequence of [OpcNodeReference](#) instance to represent by the new [OpcNodeReferenceSet](#).

#### Exceptions

[ArgumentNullException](#)

The **references** is a null reference (Nothing in Visual Basic).

## Methods

### GetReferences()

Retrieves a static / preset sequence of [OpcNodeReference](#) instances.

**C#**

```
public IEnumerable<OpcNodeReference> GetReferences()
```

#### Returns

[IEnumerable<OpcNodeReference>](#)

An [IEnumerable<T>](#) of [OpcNodeReference](#) instances which are predefined regarding their source node information.

# GetReferences(IOpcNode)

Retrieves an empty sequence of [OpcNodeReference](#) instances.

**C#**

```
public IEnumerable<OpcNodeReference> GetReferences(IOpcNode node)
```

## Parameters

**node** [IOpcNode](#)

The [IOpcNode](#) instance from which the [OpcNodeReference](#) instances shall originate from or in which they shall cease.

## Returns

[IEnumerable<OpcNodeReference>](#)

An empty [IEnumerable<OpcNodeReference>](#) of [OpcNodeReference](#) instances.

## Exceptions

[ArgumentNullException](#)

The **node** is a null reference (Nothing in Visual Basic).

# GetReferences(OpcNodeId)

Retrieves an empty sequence of [OpcNodeReference](#) instances.

**C#**

```
public IEnumerable<OpcNodeReference> GetReferences(OpcNodeId nodeId)
```

## Parameters

**nodeId** [OpcNodeId](#)

The [OpcNodeId](#) which identifies the node from which the [OpcNodeReference](#) instances shall originate from or in which they shall cease.

## Returns

[IEnumerable<OpcNodeReference>](#)

An empty [IEnumerable<OpcNodeReference>](#) of [OpcNodeReference](#) instances.

## Exceptions

## ArgumentNullException

The **nodeId** is a null reference (Nothing in Visual Basic).



# Table of Contents

<b>Constructors</b> .....	1
OpcNodeReferenceSet(IEnumerable<OpcNodeReference>) .....	1
<b>Methods</b> .....	1
GetReferences() .....	1
GetReferences(IOpcNode) .....	2
GetReferences(OpcNodeId) .....	2