

# OpcPathProbingFailedEventArgs Class

**Namespace:** Opc.UaFx

**Assemblies:** Opc.UaFx.Advanced.dll

Provides the event data for the [Failed](#) event.

**C#**

```
public class OpcPathProbingFailedEventArgs : EventArgs
```

**Inheritance** [Object](#) > [EventArgs](#) > OpcPathProbingFailedEventArgs

## Constructors

| Name                                                             | Description                                                                                                                                                      |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">OpcPathProbingFailedEventArgs(Exception)</a>         | Initializes a new instance of the <a href="#">OpcPathProbingFailedEventArgs</a> class using the <a href="#">exception</a> specified.                             |
| <a href="#">OpcPathProbingFailedEventArgs(Exception, String)</a> | Initializes a new instance of the <a href="#">OpcPathProbingFailedEventArgs</a> class using the <a href="#">exception</a> and <a href="#">message</a> specified. |

## Properties

| Name                      | Description                                                                       |
|---------------------------|-----------------------------------------------------------------------------------|
| <a href="#">Exception</a> | Gets the <a href="#">Exception</a> instance which led to the nonsuccess reported. |
| <a href="#">Message</a>   | Gets additional information about the failure.                                    |



# Table of Contents

|                           |   |
|---------------------------|---|
| <b>Constructors</b> ..... | 1 |
| <b>Properties</b> .....   | 1 |