OpcTimedShelveMethodNode Members

Namespace: Opc.UaFx
Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll
The OpcTimedShelveMethodNode type exposes the following members.

Constructors

OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` and `id` specified with the delegate to call defined by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IOpcNode parent, OpcName name, OpcNodeId id,
OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

`parent` IOpcNode

The IOpcNode used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`id` OpcNodeId

The OpcNodeId through that the new add comment method node can be identified and accessed.

`callback` TimedShelveCallback

The TimedShelveCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` and `id` specified with the delegate to call defined by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IOpcNode parent, OpcName name, OpcNodeId id,
OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

`parent` IOpcNode

The IOpcNode used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`id` OpcNodeId

The OpcNodeId through that the new add comment method node can be identified and accessed.

`callback` TimedShelveExCallback

The TimedShelveExCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` specified with the TimedShelveCallback call given by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IOpcNode parent, OpcName name,
OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

`parent` IOpcNode

The IOpcNode used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`callback` TimedShelveCallback

The TimedShelveCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` specified with the TimedShelveExCallback call given by `callback` as a child node of the `parent` node given.

C#

```
public OpcTimedShelveMethodNode(IOpcNode parent, OpcName name,
OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

`parent` IOpcNode

The IOpcNode used as the parent node or a null reference (Nothing in Visual Basic) in the case there is no parent node available.

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`callback` TimedShelveExCallback

The TimedShelveExCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` and `id` specified with the delegate to call given by `callback`.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcNodeId id,
OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`id` OpcNodeId

The OpcNodeId through that the new add comment method node can be identified and accessed.

`callback` TimedShelveCallback

The TimedShelveCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` and `id` specified with the delegate to call given by `callback`.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcNodeId id,
OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`id` OpcNodeId

The OpcNodeId through that the new add comment method node can be identified and accessed.

`callback` TimedShelveExCallback

The TimedShelveExCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` specified with the TimedShelveCallback call given by `callback`.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcTimedShelveMethodNode.TimedShelveCallback
callback)
```

Parameters

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`callback` TimedShelveCallback

The TimedShelveCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class accessible by the `name` specified with the TimedShelveExCallback call given by `callback`.

C#

```
public OpcTimedShelveMethodNode(OpcName name, OpcTimedShelveMethodNode.TimedShelveExCallback
callback)
```

Parameters

`name` OpcName

The OpcName through that the new add comment method node can be accessed.

`callback` TimedShelveExCallback

The TimedShelveExCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class with the TimedShelveCallback call given by `callback`.

C#

```
public OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveCallback callback)
```

Parameters

`callback` TimedShelveCallback

The TimedShelveCallback to call on method invokation of the new add comment method node.

OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveExCallback)

Initializes a new instance of the OpcTimedShelveMethodNode class with the TimedShelveExCallback call given by `callback`.

C#

```
public OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveExCallback callback)
```

Parameters

`callback` TimedShelveExCallback

The TimedShelveExCallback to call on method invokation of the new add comment method node.

Properties

DefaultTypeDefinitionId

Gets the default identifier which identifies the node that defines the underlying node type from that this OpcInstanceNode has been created.

C#

```
protected override OpcNodeId DefaultTypeDefinitionId { get; }
```

Property Value

OpcNodeId

The OpcNodeId of the type node from that this OpcInstanceNode has been created from. These type node defines the typical structure of an instance node of its type definition. If there exists no specific type definition node a null reference (Nothing in Visual Basic).

Table of Contents

Constructors 1
OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback) 1
OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback) 1
OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcTimedShelveMethodNode.TimedShelveCallback) 2
OpcTimedShelveMethodNode(IOpcNode, OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback) 2
OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveCallback) 3
OpcTimedShelveMethodNode(OpcName, OpcNodeId, OpcTimedShelveMethodNode.TimedShelveExCallback) 3
OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveCallback) 4
OpcTimedShelveMethodNode(OpcName, OpcTimedShelveMethodNode.TimedShelveExCallback) 4
OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveCallback) 5
OpcTimedShelveMethodNode(OpcTimedShelveMethodNode.TimedShelveExCallback) 5
Properties 5
DefaultTypeDefinitionId 5