

OpcDiscoveryServerServiceApplication Class

Namespace: Opc.UaFx.Server

Assemblies: Opc.UaFx.Advanced.dll

C#

```

[CLSCompliant(false)]
public class OpcDiscoveryServerServiceApplication :
    OpcServerServiceApplication<OpcDiscoveryServer>, IOpcApplication, IDisposable
    
```

Inheritance [Object](#) > [OpcApplication](#) > [OpcServerServiceApplication<OpcDiscoveryServer>](#) > [OpcDiscoveryServerServiceApplication](#)

Attributes [CLSCompliantAttribute](#)

Implements [IOpcApplication](#), [IDisposable](#)

Constructors

Name	Description
OpcDiscoveryServerServiceApplication(OpcDiscoveryServer)	
OpcDiscoveryServerServiceApplication(String)	
OpcDiscoveryServerServiceApplication(Uri)	

Events

Name	Description
Exited	(Inherited from OpcApplication)
Exiting	(Inherited from OpcApplication)
Started	(Inherited from OpcApplication)
Starting	(Inherited from OpcApplication)

Properties

Name	Description
Company	(Inherited from OpcApplication)
Configuration	(Inherited from OpcApplication)
Current	(Inherited from OpcApplication)
Name	(Inherited from OpcApplication)
ProductCompany	(Inherited from OpcApplication)
ProductName	(Inherited from OpcApplication)
ProductVersion	(Inherited from OpcApplication)
Version	(Inherited from OpcApplication)

Methods

Name	Description
AfterRun	(Inherited from OpcApplication)
BeforeRun	(Inherited from OpcApplication)
Dispose	Releases all resources used by the OpcApplication . (Inherited from OpcApplication)
Dispose(Boolean)	Releases the unmanaged resources used by the OpcApplication and optionally releases the managed resources. (Inherited from OpcApplication)
Exit	(Inherited from OpcApplication)
ExitCore	(Inherited from OpcApplication)
LoadConfiguration	(Inherited from OpcApplication)
LoadConfiguration(String)	(Inherited from OpcApplication)
LoadConfigurationCore(String)	(Inherited from OpcApplication)
OnExited(EventArgs)	(Inherited from OpcApplication)
OnExiting(EventArgs)	(Inherited from OpcApplication)
OnStarted(EventArgs)	(Inherited from OpcApplication)
OnStarting(EventArgs)	(Inherited from OpcApplication)
Run	(Inherited from OpcApplication)
RunCore	(Inherited from OpcApplication)

Table of Contents

Constructors	1
Events	1
Properties	1
Methods	2

