

OpcAddNodesResponse Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcAddNodesResponse](#) type exposes the following members.

Constructors

OpcAddNodesResponse(IOpcServiceResponseHeader)

C#

```
public OpcAddNodesResponse(IOpcServiceResponseHeader header)
```

Parameters

header [IOpcServiceResponseHeader](#)

Exceptions

[ArgumentNullException](#)

OpcAddNodesResponse(IOpcServiceResponseHeader, OpcAddNodeResultCollection)

C#

```
public OpcAddNodesResponse(IOpcServiceResponseHeader header, OpcAddNodeResultCollection results)
```

Parameters

header [IOpcServiceResponseHeader](#)

results [OpcAddNodeResultCollection](#)

Exceptions

[ArgumentNullException](#)

OpcAddNodesResponse(IOpcServiceResponseHeader, OpcAddNodeResultCollection, DiagnosticInfoCollection)

C#

```
[CLSCompliant(false)]  
public OpcAddNodesResponse(IOpcServiceResponseHeader header, OpcAddNodeResultCollection  
results, DiagnosticInfoCollection diagnosticInfos)
```

Parameters

header [IOpcServiceResponseHeader](#)

results [OpcAddNodeResultCollection](#)

diagnosticInfos [DiagnosticInfoCollection](#)

Exceptions

[ArgumentNullException](#)

Table of Contents

Constructors	1
OpcAddNodesResponse(IOpcServiceResponseHeader)	1
OpcAddNodesResponse(IOpcServiceResponseHeader, OpcAddNodeResultCollection)	1
OpcAddNodesResponse(IOpcServiceResponseHeader, OpcAddNodeResultCollection, DiagnosticInfoCollection)	2

