

OpcBrowseRequest Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcBrowseRequest](#) type exposes the following members.

Constructors

OpcBrowseRequest(IEnumerable<OpcBrowseNode>)

C#

```
public OpcBrowseRequest(IEnumerable<OpcBrowseNode> commands)
```

Parameters

commands [IEnumerable<OpcBrowseNode>](#)

Exceptions

[ArgumentNullException](#)

OpcBrowseRequest(IOpcServiceRequestHeader, OpcViewDescription, IEnumerable<OpcBrowseNode>)

C#

```
public OpcBrowseRequest(IOpcServiceRequestHeader header, OpcViewDescription view,
IEnumerable<OpcBrowseNode> commands)
```

Parameters

header [IOpcServiceRequestHeader](#)

view [OpcViewDescription](#)

commands [IEnumerable<OpcBrowseNode>](#)

Exceptions

ArgumentNullException

OpcBrowseRequest(IOpcServiceRequestHeader, OpcViewDescription, OpcBrowseNode[])

C#

```
public OpcBrowseRequest(IOpcServiceRequestHeader header, OpcViewDescription view, params
OpcBrowseNode[] commands)
```

Parameters

header IOpcServiceRequestHeader

view OpcViewDescription

commands OpcBrowseNode[]

Exceptions

ArgumentNullException

OpcBrowseRequest(OpcBrowseNode[])

C#

```
public OpcBrowseRequest(params OpcBrowseNode[] commands)
```

Parameters

commands OpcBrowseNode[]

Exceptions

ArgumentNullException

OpcBrowseRequest(OpcViewDescription, IEnumerable<OpcBrowseNode>)

C#

```
public OpcBrowseRequest(OpcViewDescription view, IEnumerable<OpcBrowseNode> commands)
```

Parameters

view [OpcViewDescription](#)

commands [IEnumerable<OpcBrowseNode>](#)

Exceptions

[ArgumentNullException](#)

OpcBrowseRequest(OpcViewDescription, OpcBrowseNode[])

C#

```
public OpcBrowseRequest(OpcViewDescription view, params OpcBrowseNode[] commands)
```

Parameters

view [OpcViewDescription](#)

commands [OpcBrowseNode\[\]](#)

Exceptions

[ArgumentNullException](#)

Properties

RequestedMaxReferencesPerNode

C#

```
public uint RequestedMaxReferencesPerNode { get; set; }
```

Property Value

UInt32

View

C#

```
public OpcViewDescription View { get; set; }
```

Property Value

OpcViewDescription

Table of Contents

Constructors	1
OpcBrowseRequest(IEnumerable<OpcBrowseNode>)	1
OpcBrowseRequest(IOpcServiceRequestHeader, OpcViewDescription, IEnumerable<OpcBrowseNode>)	1
OpcBrowseRequest(IOpcServiceRequestHeader, OpcViewDescription, OpcBrowseNode[])	2
OpcBrowseRequest(OpcBrowseNode[])	2
OpcBrowseRequest(OpcViewDescription, IEnumerable<OpcBrowseNode>)	3
OpcBrowseRequest(OpcViewDescription, OpcBrowseNode[])	3
Properties	3
RequestedMaxReferencesPerNode	4
View	4

