

OpcDeleteNodesRequest Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcDeleteNodesRequest](#) type exposes the following members.

Constructors

OpcDeleteNodesRequest(IEnumerable<OpcDeleteNode>)

C#

```
public OpcDeleteNodesRequest(IEnumerable<OpcDeleteNode> commands)
```

Parameters

commands [IEnumerable<OpcDeleteNode>](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteNodesRequest(IOpcServiceRequestHeader, IEnumerable<OpcDeleteNode>)

C#

```
public OpcDeleteNodesRequest(IOpcServiceRequestHeader header, IEnumerable<OpcDeleteNode> commands)
```

Parameters

header [IOpcServiceRequestHeader](#)

commands [IEnumerable<OpcDeleteNode>](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteNodesRequest(IOpcServiceRequestHeader, OpcDeleteNode[])

C#

```
public OpcDeleteNodesRequest(IOpcServiceRequestHeader header, params OpcDeleteNode[] commands)
```

Parameters

header [IOpcServiceRequestHeader](#)

commands [OpcDeleteNode\[\]](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteNodesRequest(OpcDeleteNode[])

C#

```
public OpcDeleteNodesRequest(params OpcDeleteNode[] commands)
```

Parameters

commands [OpcDeleteNode\[\]](#)

Exceptions

[ArgumentNullException](#)

Table of Contents

Constructors	1
OpcDeleteNodesRequest(IEnumerable<OpcDeleteNode>)	1
OpcDeleteNodesRequest(IOpcServiceRequestHeader, IEnumerable<OpcDeleteNode>)	1
OpcDeleteNodesRequest(IOpcServiceRequestHeader, OpcDeleteNode[])	2
OpcDeleteNodesRequest(OpcDeleteNode[])	2

