

OpcDeleteReferencesRequest Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcDeleteReferencesRequest](#) type exposes the following members.

Constructors

OpcDeleteReferencesRequest(IEnumerable<OpcDeleteReference>)

C#

```
public OpcDeleteReferencesRequest(IEnumerable<OpcDeleteReference> commands)
```

Parameters

commands [IEnumerable<OpcDeleteReference>](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteReferencesRequest(IOpcServiceRequestHeader, IEnumerable<OpcDeleteReference>)

C#

```
public OpcDeleteReferencesRequest(IOpcServiceRequestHeader header,
    IEnumerable<OpcDeleteReference> commands)
```

Parameters

header [IOpcServiceRequestHeader](#)

commands [IEnumerable<OpcDeleteReference>](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteReferencesRequest(IOpcServiceRequestHeader, OpcDeleteReference[])

C#

```
public OpcDeleteReferencesRequest(IOpcServiceRequestHeader header, params  
OpcDeleteReference[] commands)
```

Parameters

header [IOpcServiceRequestHeader](#)

commands [OpcDeleteReference\[\]](#)

Exceptions

[ArgumentNullException](#)

OpcDeleteReferencesRequest(OpcDeleteReference[])

C#

```
public OpcDeleteReferencesRequest(params OpcDeleteReference[] commands)
```

Parameters

commands [OpcDeleteReference\[\]](#)

Exceptions

[ArgumentNullException](#)

Table of Contents

Constructors	1
OpcDeleteReferencesRequest(IEnumerable<OpcDeleteReference>)	1
OpcDeleteReferencesRequest(IOpcServiceRequestHeader, IEnumerable<OpcDeleteReference>)	1
OpcDeleteReferencesRequest(IOpcServiceRequestHeader, OpcDeleteReference[])	2
OpcDeleteReferencesRequest(OpcDeleteReference[])	2

