

OpcReadNodesResponse Members

Namespace: Opc.UaFx.Services

Assemblies: Opc.UaFx.Advanced.dll, Opc.UaFx.Advanced.dll

The [OpcReadNodesResponse](#) type exposes the following members.

Constructors

OpcReadNodesResponse(IOpcServiceResponseHeader)

C#

```
[CLSCompliant(false)]  
public OpcReadNodesResponse(IOpcServiceResponseHeader header)
```

Parameters

header [IOpcServiceResponseHeader](#)

Exceptions

[ArgumentNullException](#)

OpcReadNodesResponse(IOpcServiceResponseHeader, OpcValueCollection)

C#

```
[CLSCompliant(false)]  
public OpcReadNodesResponse(IOpcServiceResponseHeader header, OpcValueCollection results)
```

Parameters

header [IOpcServiceResponseHeader](#)

results [OpcValueCollection](#)

Exceptions

[ArgumentNullException](#)

OpcReadNodesResponse(IOpcServiceResponseHeader, OpcValueCollection, DiagnosticInfoCollection)

C#

```
[CLSCompliant(false)]  
public OpcReadNodesResponse(IOpcServiceResponseHeader header, OpcValueCollection results,  
DiagnosticInfoCollection diagnosticInfos)
```

Parameters

header [IOpcServiceResponseHeader](#)

results [OpcValueCollection](#)

diagnosticInfos [DiagnosticInfoCollection](#)

Exceptions

[ArgumentNullException](#)

Table of Contents

Constructors	1
OpcReadNodesResponse(IOpcServiceResponseHeader)	1
OpcReadNodesResponse(IOpcServiceResponseHeader, OpcValueCollection)	1
OpcReadNodesResponse(IOpcServiceResponseHeader, OpcValueCollection, DiagnosticInfoCollection)	2

