

PlcDWordAddress Members

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll, IPS7LnkNet.Advanced.dll

The [PlcDWordAddress](#) type exposes the following members.

Constructors

PlcDWordAddress(PlcOperand, Int32)

Initializes a new instance of the [PlcDWordAddress](#) class using the specified `operand` and `byteNumber`.

C#

```
public PlcDWordAddress(PlcOperand operand, int byteNumber)
```

Parameters

`operand` [PlcOperand](#)

The [PlcOperand](#) to that the new [PlcDWordAddress](#) refers.

`byteNumber` [Int32](#)

The number of the byte to that the new [PlcDWordAddress](#) refers.

Exceptions

[ArgumentException](#)

The type of `operand` specified is not supported.

[ArgumentNullException](#)

The `operand` is a null reference (Nothing in Visual Basic).

[ArgumentOutOfRangeException](#)

The `byteNumber` is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

PlcDWordAddress(PlcOperandType, Int32)

Initializes a new instance of the [PlcDWordAddress](#) class using the specified `operandType` and `byteNumber`.

C#

```
public PlcDWordAddress(PlcOperandType operandType, int byteNumber)
```

Parameters

`operandType` [PlcOperandType](#)

The [PlcOperandType](#) to that the new [PlcDWordAddress](#) refers.

byteNumber [Int32](#)

The number of the byte to that the new [PlcDWordAddress](#) refers.

Exceptions

[ArgumentException](#)

The [operandType](#) specified requires an operand number.

[ArgumentOutOfRangeException](#)

The [byteNumber](#) is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

PlcDWordAddress(PlcOperandType, Int32, Int32)

Initializes a new instance of the [PlcDWordAddress](#) class using the specified [operandType](#), [operandNumber](#) and [byteNumber](#).

C#

```
public PlcDWordAddress(PlcOperandType operandType, int operandNumber, int byteNumber)
```

Parameters

[operandType](#) [PlcOperandType](#)

The [PlcOperandType](#) to that the new [PlcDWordAddress](#) refers.

[operandNumber](#) [Int32](#)

The number of the operand to that the new [PlcDWordAddress](#) refers.

[byteNumber](#) [Int32](#)

The number of the byte to that the new [PlcDWordAddress](#) refers.

Exceptions

[ArgumentException](#)

The [operandType](#) specified is not supported or the [operandType](#) specified does not support an operand number.

[ArgumentOutOfRangeException](#)

The [operandNumber](#) or [byteNumber](#) is out of the bounds defined by [MinOperandNumber](#), [MaxOperandNumber](#), [MinByteNumber](#) or [MaxByteNumber](#).

PlcDWordAddress(SerializationInfo, StreamingContext)

Initializes a new instance of the [PlcDWordAddress](#) class with serialized data.

C#

```
protected PlcDWordAddress(SerializationInfo info, StreamingContext context)
```

Parameters

info `Serialization.SerializationInfo`

The `Serialization.SerializationInfo` that holds the serialized object data about the exception being thrown.

context `Serialization.StreamingContext`

The `Serialization.StreamingContext` that contains contextual information about the source or destination.

Exceptions

`ArgumentNullException`

The `info` parameter is null reference (Nothing in Visual Basic).

`Serialization.SerializationException`

The class name is null reference (Nothing in Visual Basic) or `HResult` is zero (0).

Methods

CompareTo(Object)

Compares the current `PlcDWordAddress` with the `other`.

C#

```
public override int CompareTo(object other)
```

Parameters

other `Object`

The `PlcDWordAddress` to compare with this `PlcDWordAddress`.

Returns

`Int32`

A 32-bit signed integer that indicates the relative order of the objects being compared (`CompareTo(Object)`).

CompareTo(PlcDWordAddress)

Compares the current `PlcDWordAddress` with another `PlcDWordAddress`.

C#

```
public int CompareTo(PlcDWordAddress other)
```

Parameters

other PlcDWordAddress

The PlcDWordAddress to compare with this PlcDWordAddress.

Returns

Int32

A 32-bit signed integer that indicates the relative order of the objects being compared (CompareTo()).

Equals(Object)

Determines whether the specified **other** is equal to this PlcDWordAddress.

C#

```
public override bool Equals(object other)
```

Parameters

other Object

The PlcDWordAddress to compare to the current PlcDWordAddress.

Returns

Boolean

The value true if the specified PlcDWordAddress is equal to the current PlcDWordAddress; otherwise the value false.

Equals(PlcDWordAddress)

Determines whether the specified **other** is equal to this PlcDWordAddress.

C#

```
public bool Equals(PlcDWordAddress other)
```

Parameters

other PlcDWordAddress

The PlcDWordAddress to compare to the current PlcDWordAddress.

Returns

Boolean

The value true if the specified [PlcDWordAddress](#) is equal to the current [PlcDWordAddress](#); otherwise the value false.

GetHashCode()

Retrieves a hash code for this [PlcDWordAddress](#).

C#

```
public override int GetHashCode()
```

Returns

[Int32](#)

An [Int32](#) that contains the hash code for the [PlcDWordAddress](#).

Operators

Equality(PlcDWordAddress, PlcDWordAddress)

Returns a value indicating whether two instance of [PlcDWordAddress](#) are equal.

C#

```
public static bool operator ==(PlcDWordAddress left, PlcDWordAddress right)
```

GreaterThanOrEqual(PlcDWordAddress, PlcDWordAddress)

Determines whether the first specified [PlcDWordAddress](#) object is greater than the second specified [PlcDWordAddress](#) object.

C#

```
public static bool operator >=(PlcDWordAddress left, PlcDWordAddress right)
```

GreaterThanOrEqual(PlcDWordAddress, PlcDWordAddress)

Determines whether the first specified [PlcDWordAddress](#) object is greater than or equal to the second specified [PlcDWordAddress](#) object.

C#

```
public static bool operator >=(PlcDWordAddress left, PlcDWordAddress right)
```

Implicit(String to PlcDWordAddress)

Converts a string formatted as address to an [PlcDWordAddress](#) object.

C#

```
public static implicit operator PlcDWordAddress(string value)
```

Exceptions

[FormatException](#)

The `value` is not a valid PLC word address.

Inequality(PlcDWordAddress, PlcDWordAddress)

Returns a value indicating whether two instances of [PlcDWordAddress](#) are not equal.

C#

```
public static bool operator !=(PlcDWordAddress left, PlcDWordAddress right)
```

LessThan(PlcDWordAddress, PlcDWordAddress)

Determines whether the first specified [PlcDWordAddress](#) object is less than the second specified [PlcDWordAddress](#) object.

C#

```
public static bool operator <(PlcDWordAddress left, PlcDWordAddress right)
```

Exceptions

[ArgumentNullException](#)

The `left` is a null reference (Nothing in Visual Basic).

LessThanOrEqual(PlcDWordAddress, PlcDWordAddress)

Determines whether the first specified [PlcDWordAddress](#) object is less than or equal to the second [PlcDWordAddress](#) object.

C#

```
public static bool operator <=(PlcDWordAddress left, PlcDWordAddress right)
```

Exceptions

[ArgumentNullException](#)

The `left` is a null reference (Nothing in Visual Basic).

Table of Contents

Constructors	1
PlcDWordAddress(PlcOperand, Int32)	1
PlcDWordAddress(PlcOperandType, Int32)	1
PlcDWordAddress(PlcOperandType, Int32, Int32)	2
PlcDWordAddress(SerializationInfo, StreamingContext)	2
Methods	3
CompareTo(Object)	3
CompareTo(PlcDWordAddress)	3
Equals(Object)	4
Equals(PlcDWordAddress)	4
GetHashCode()	5
Operators	5
Equality(PlcDWordAddress, PlcDWordAddress)	5
GreaterThanOrEqual(PlcDWordAddress, PlcDWordAddress)	5
GreaterThanOrEqual(PlcDWordAddress, PlcDWordAddress)	5
Implicit(String to PlcDWordAddress)	6
Inequality(PlcDWordAddress, PlcDWordAddress)	6
LessThan(PlcDWordAddress, PlcDWordAddress)	6
LessThanOrEqual(PlcDWordAddress, PlcDWordAddress)	6

