PlcNotifications.PlcDeviceConnectionStateChangedEventArgs Class

Namespace: IPS7Lnk.Advanced
Assemblies: IPS7LnkNet.Advanced.dll

Provides PlcDeviceConnection data for state changes.

C#

```
public class PlcDeviceConnectionStateChangedEventArgs :
PlcNotifications.PlcDeviceConnectionEventArgs
```

Inheritance Object › EventArgs › PlcDeviceConnectionEventArgs › PlcNotifications.PlcDeviceConnectionStateChangedEventArgs

Constructors

Name	Description
PlcDeviceConnectionStateChangedEventArgs.#ctor(PlcDeviceConnection, PlcDeviceConnectionState, PlcDeviceConnectionState)	Initializes a new instance of the PlcDeviceConnectionStateChangedEventArgs class using the specified `connection`, `oldState` and `newState`.

Properties

Name	Description
PlcDeviceConnectionEventArgs.Connection	Gets the PlcDeviceConnection to that the event and event data does belong. (Inherited from PlcDeviceConnectionEventArgs)
PlcDeviceConnectionStateChangedEventArgs.NewState	Gets the state after the change.
PlcDeviceConnectionStateChangedEventArgs.OldState	Gets the state before the change.

Table of Contents

Constructors 1
Properties 1