

# PlcOutputOperand Members

**Namespace:** IPS7Lnk.Advanced

**Assemblies:** IPS7LnkNet.Advanced.dll, IPS7LnkNet.Advanced.dll

The [PlcOutputOperand](#) type exposes the following members.

## Constructors

### PlcOutputOperand(SerializationInfo, StreamingContext)

Initializes a new instance of the [PlcOutputOperand](#) class with serialized data.

**C#**

```
protected PlcOutputOperand(SerializationInfo info, StreamingContext context)
```

#### Parameters

**info** [Serialization.SerializationInfo](#)

The [Serialization.SerializationInfo](#) that holds the serialized object data about the exception being thrown.

**context** [Serialization.StreamingContext](#)

The [Serialization.StreamingContext](#) that contains contextual information about the source or destination.

#### Exceptions

[ArgumentNullException](#)

The info parameter is null reference (Nothing in Visual Basic).

[Serialization.SerializationException](#)

The class name is null reference (Nothing in Visual Basic) or [HRESULT](#) is zero (0).

## Methods

### Byte(Int32)

Creates a new [PlcByteAddress](#) from this [PlcOutputOperand](#) using the **byteNumber** specified.

**C#**

```
public PlcByteAddress Byte(int byteNumber)
```

#### Parameters

**byteNumber** [Int32](#)

The number of the byte to that the new [PlcByteAddress](#) refers.

## Returns

[PlcByteAddress](#)

A new [PlcByteAddress](#) which refers to this operand and to the [byteNumber](#) specified.

## Exceptions

[ArgumentOutOfRangeException](#)

The [byteNumber](#) is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

# CompareTo(Object)

Compares the current [PlcOutputOperand](#) with the [other](#).

## C#

```
public override int CompareTo(object other)
```

## Parameters

[other](#) Object

The [PlcOutputOperand](#) to compare with this [PlcOutputOperand](#).

## Returns

[Int32](#)

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(Object\)](#)).

# CompareTo(PlcOutputOperand)

Compares the current [PlcOutputOperand](#) with another [PlcOutputOperand](#).

## C#

```
public int CompareTo(PlcOutputOperand other)
```

## Parameters

[other](#) [PlcOutputOperand](#)

The [PlcOutputOperand](#) to compare with this [PlcOutputOperand](#).

## Returns

## Int32

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(\)](#)).

## DWord(Int32)

Creates a new [PlcDWordAddress](#) from this [PlcOutputOperand](#) using the `byteNumber` specified.

### C#

```
public PlcDWordAddress DWord(int byteNumber)
```

### Parameters

`byteNumber` [Int32](#)

The number of the byte to that the new [PlcDWordAddress](#) refers.

### Returns

[PlcDWordAddress](#)

A new [PlcDWordAddress](#) which refers to this operand and to the `byteNumber` specified.

### Exceptions

[ArgumentOutOfRangeException](#)

The `byteNumber` is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

## Equals(Object)

Determines whether the specified `other` is equal to this [PlcOutputOperand](#).

### C#

```
public override bool Equals(object other)
```

### Parameters

`other` [Object](#)

The [PlcOutputOperand](#) to compare to the current [PlcOutputOperand](#).

### Returns

[Boolean](#)

The value true if the specified [PlcOutputOperand](#) is equal to the current [PlcOutputOperand](#); otherwise the value false.

# Equals(PlcOutputOperand)

Determines whether the specified `other` is equal to this `PlcOutputOperand`.

## C#

```
public bool Equals(PlcOutputOperand other)
```

## Parameters

`other` `PlcOutputOperand`

The `PlcOutputOperand` to compare to the current `PlcOutputOperand`.

## Returns

`Boolean`

The value true if the specified `PlcOutputOperand` is equal to the current `PlcOutputOperand`; otherwise the value false.

# GetHashCode()

Retrieves a hash code for this `PlcOutputOperand`.

## C#

```
public override int GetHashCode()
```

## Returns

`Int32`

An `Int32` that contains the hash code for the `PlcOutputOperand`.

# GetObjectData(SerializationInfo, StreamingContext)

Sets the `Serialization.SerializationInfo` with information about the exception.

## C#

```
[SecurityPermission(SecurityAction.LinkDemand, Flags =  
SecurityPermissionFlag.SerializationFormatter)]  
public override void GetObjectData(SerializationInfo info, StreamingContext context)
```

## Parameters

`info` `Serialization.SerializationInfo`

The `Serialization.SerializationInfo` that holds the serialized object data about the exception being thrown.

`context` `Serialization.StreamingContext`

The [Serialization.StreamingContext](#) that contains contextual information about the source or destination.

## Exceptions

### [ArgumentNullException](#)

The `info` parameter is a null reference (Nothing in Visual Basic).

## Word(Int32)

Creates a new [PlcWordAddress](#) from this [PlcOutputOperand](#) using the `byteNumber` specified.

### C#

```
public PlcWordAddress Word(int byteNumber)
```

## Parameters

### `byteNumber` Int32

The number of the byte to that the new [PlcWordAddress](#) refers.

## Returns

### [PlcWordAddress](#)

A new [PlcWordAddress](#) which refers to this operand and to the `byteNumber` specified.

## Exceptions

### [ArgumentOutOfRangeException](#)

The `byteNumber` is out of the bounds defined by [MinByteNumber](#) or [MaxByteNumber](#).

## Operators

### Equality(PlcOutputOperand, PlcOutputOperand)

Returns a value indicating whether two instance of [PlcOutputOperand](#) are equal.

### C#

```
public static bool operator ==(PlcOutputOperand left, PlcOutputOperand right)
```

### GreaterThan(PlcOutputOperand, PlcOutputOperand)

Determines whether the first specified [PlcOutputOperand](#) object is greater than the second specified

[PlcOutputOperand](#) object.

**C#**

```
public static bool operator >(PlcOutputOperand left, PlcOutputOperand right)
```

## GreaterThanOrEqual(PlcOutputOperand, PlcOutputOperand)

Determines whether the first specified [PlcOutputOperand](#) object is greater than or equal to the second specified [PlcOutputOperand](#) object.

**C#**

```
public static bool operator >=(PlcOutputOperand left, PlcOutputOperand right)
```

## Implicit(String to PlcOutputOperand)

Converts a string formatted as operand to an [PlcOutputOperand](#) object.

**C#**

```
public static implicit operator PlcOutputOperand(string value)
```

### Exceptions

[FormatException](#)

The **value** is not a valid PLC operand.

## Inequality(PlcOutputOperand, PlcOutputOperand)

Returns a value indicating whether two instances of [PlcOutputOperand](#) are not equal.

**C#**

```
public static bool operator !=(PlcOutputOperand left, PlcOutputOperand right)
```

## LessThan(PlcOutputOperand, PlcOutputOperand)

Determines whether the first specified [PlcOutputOperand](#) object is less than the second specified [PlcOutputOperand](#) object.

**C#**

```
public static bool operator <(PlcOutputOperand left, PlcOutputOperand right)
```

### Exceptions

[ArgumentNullException](#)

The `left` is a null reference (Nothing in Visual Basic).

## LessThanOrEqual(PlcOutputOperand, PlcOutputOperand)

Determines whether the first specified `PlcOutputOperand` object is less than or equal to the second `PlcOutputOperand` object.

### C#

```
public static bool operator <=(PlcOutputOperand left, PlcOutputOperand right)
```

### Exceptions

#### [ArgumentNullException](#)

The `left` is a null reference (Nothing in Visual Basic).



# Table of Contents

|                                                              |   |
|--------------------------------------------------------------|---|
| <b>Constructors</b> .....                                    | 1 |
| PlcOutputOperand(SerializationInfo, StreamingContext) .....  | 1 |
| <b>Methods</b> .....                                         | 1 |
| Byte(Int32) .....                                            | 1 |
| CompareTo(Object) .....                                      | 2 |
| CompareTo(PlcOutputOperand) .....                            | 2 |
| DWord(Int32) .....                                           | 3 |
| Equals(Object) .....                                         | 3 |
| Equals(PlcOutputOperand) .....                               | 4 |
| GetHashCode() .....                                          | 4 |
| GetObjectData(SerializationInfo, StreamingContext) .....     | 4 |
| Word(Int32) .....                                            | 5 |
| <b>Operators</b> .....                                       | 5 |
| Equality(PlcOutputOperand, PlcOutputOperand) .....           | 5 |
| GreaterThan(PlcOutputOperand, PlcOutputOperand) .....        | 5 |
| GreaterThanOrEqual(PlcOutputOperand, PlcOutputOperand) ..... | 6 |
| Implicit(String to PlcOutputOperand) .....                   | 6 |
| Inequality(PlcOutputOperand, PlcOutputOperand) .....         | 6 |
| LessThan(PlcOutputOperand, PlcOutputOperand) .....           | 6 |
| LessThanOrEqual(PlcOutputOperand, PlcOutputOperand) .....    | 7 |