

PlcUserDefinedTypeOperand Members

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll, IPS7LnkNet.Advanced.dll

The [PlcUserDefinedTypeOperand](#) type exposes the following members.

Constructors

PlcUserDefinedTypeOperand(SerializationInfo, StreamingContext)

Initializes a new instance of the [PlcUserDefinedTypeOperand](#) class with serialized data.

C#

```
protected PlcUserDefinedTypeOperand(SerializationInfo info, StreamingContext context)
```

Parameters

info [Serialization.SerializationInfo](#)

The [Serialization.SerializationInfo](#) that holds the serialized object data about the exception being thrown.

context [Serialization.StreamingContext](#)

The [Serialization.StreamingContext](#) that contains contextual information about the source or destination.

Exceptions

[ArgumentNullException](#)

The info parameter is null reference (Nothing in Visual Basic).

[Serialization.SerializationException](#)

The class name is null reference (Nothing in Visual Basic) or [HResult](#) is zero (0).

Methods

CompareTo(Object)

Compares the current [PlcUserDefinedTypeOperand](#) with the **other**.

C#

```
public override int CompareTo(object other)
```

Parameters

other Object

The [PlcUserDefinedTypeOperand](#) to compare with this [PlcUserDefinedTypeOperand](#).

Returns

Int32

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(Object\)](#)).

CompareTo(PlcUserDefinedTypeOperand)

Compares the current [PlcUserDefinedTypeOperand](#) with another [PlcUserDefinedTypeOperand](#).

C#

```
public int CompareTo(PlcUserDefinedTypeOperand other)
```

Parameters

other [PlcUserDefinedTypeOperand](#)

The [PlcUserDefinedTypeOperand](#) to compare with this [PlcUserDefinedTypeOperand](#).

Returns

Int32

A 32-bit signed integer that indicates the relative order of the objects being compared ([CompareTo\(\)](#)).

Equals(Object)

Determines whether the specified [other](#) is equal to this [PlcUserDefinedTypeOperand](#).

C#

```
public override bool Equals(object other)
```

Parameters

other [Object](#)

The [PlcUserDefinedTypeOperand](#) to compare to the current [PlcUserDefinedTypeOperand](#).

Returns

Boolean

The value true if the specified [PlcUserDefinedTypeOperand](#) is equal to the current [PlcUserDefinedTypeOperand](#); otherwise the value false.

Equals(PlcUserDefinedTypeOperand)

Determines whether the specified `other` is equal to this `PlcUserDefinedTypeOperand`.

C#

```
public bool Equals(PlcUserDefinedTypeOperand other)
```

Parameters

`other` `PlcUserDefinedTypeOperand`

The `PlcUserDefinedTypeOperand` to compare to the current `PlcUserDefinedTypeOperand`.

Returns

`Boolean`

The value true if the specified `PlcUserDefinedTypeOperand` is equal to the current `PlcUserDefinedTypeOperand`; otherwise the value false.

GetHashCode()

Retrieves a hash code for this `PlcUserDefinedTypeOperand`.

C#

```
public override int GetHashCode()
```

Returns

`Int32`

An `Int32` that contains the hash code for the `PlcUserDefinedTypeOperand`.

GetObjectData(SerializationInfo, StreamingContext)

Sets the `Serialization.SerializationInfo` with information about the exception.

C#

```
[SecurityPermission(SecurityAction.LinkDemand, Flags =
SecurityPermissionFlag.SerializationFormatter)]
public override void GetObjectData(SerializationInfo info, StreamingContext context)
```

Parameters

`info` `Serialization.SerializationInfo`

The `Serialization.SerializationInfo` that holds the serialized object data about the exception being thrown.

`context` `Serialization.StreamingContext`

The `Serialization.StreamingContext` that contains contextual information about the source or destination.

Exceptions

ArgumentNullException

The `info` parameter is a null reference (Nothing in Visual Basic).

Operators

Equality(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)

Returns a value indicating whether two instance of `PlcUserDefinedTypeOperand` are equal.

C#

```
public static bool operator ==(PlcUserDefinedTypeOperand left, PlcUserDefinedTypeOperand right)
```

GreaterThanOrEqual(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)

Determines whether the first specified `PlcUserDefinedTypeOperand` object is greater than the second specified `PlcUserDefinedTypeOperand` object.

C#

```
public static bool operator >=(PlcUserDefinedTypeOperand left, PlcUserDefinedTypeOperand right)
```

Implicit(String to PlcUserDefinedTypeOperand)

Converts a string formatted as operand to an `PlcUserDefinedTypeOperand` object.

C#

```
public static PlcUserDefinedTypeOperand operator <=>(string value, PlcUserDefinedTypeOperand type)
```

Implicit(PlcUserDefinedTypeOperand to String)

Converts a `PlcUserDefinedTypeOperand` object to a string.

C#

```
public static implicit operator PlcUserDefinedTypeOperand(string value)
```

Exceptions

FormatException

The `value` is not a valid PLC operand.

Inequality(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)

Returns a value indicating whether two instances of `PlcUserDefinedTypeOperand` are not equal.

C#

```
public static bool operator !=(PlcUserDefinedTypeOperand left, PlcUserDefinedTypeOperand right)
```

LessThan(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)

Determines whether the first specified `PlcUserDefinedTypeOperand` object is less than the second specified `PlcUserDefinedTypeOperand` object.

C#

```
public static bool operator <(PlcUserDefinedTypeOperand left, PlcUserDefinedTypeOperand right)
```

Exceptions

ArgumentNullException

The `left` is a null reference (Nothing in Visual Basic).

LessThanOrEqual(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)

Determines whether the first specified `PlcUserDefinedTypeOperand` object is less than or equal to the second `PlcUserDefinedTypeOperand` object.

C#

```
public static bool operator <=(PlcUserDefinedTypeOperand left, PlcUserDefinedTypeOperand right)
```

Exceptions

ArgumentNullException

The **left** is a null reference (Nothing in Visual Basic).

Table of Contents

Constructors	1
PlcUserDefinedTypeOperand(SerializationInfo, StreamingContext)	1
Methods	1
CompareTo(Object)	1
CompareTo(PlcUserDefinedTypeOperand)	2
Equals(Object)	2
Equals(PlcUserDefinedTypeOperand)	3
GetHashCode()	3
GetObjectData(SerializationInfo, StreamingContext)	3
Operators	4
Equality(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)	4
GreaterThanOrEqual(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)	4
GreaterThanOrEqual(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)	4
Implicit(String to PlcUserDefinedTypeOperand)	4
Inequality(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)	5
LessThan(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)	5
LessThanOrEqual(PlcUserDefinedTypeOperand, PlcUserDefinedTypeOperand)	5

