

SiemensOperandTypes Class

Namespace: IPS7Lnk.Advanced

Assemblies: IPS7LnkNet.Advanced.dll

Defines all operand types supported by the Siemens AG in Germany.

C#

```
public static class SiemensOperandTypes
```

Inheritance [Object](#) › [SiemensOperandTypes](#)

Fields

Name	Description
Counter	Specifies the string representation of the counter operand.
DataBlock	Specifies the string representation of the data block operand.
Flag	Specifies the string representation of the flag operand.
Function	Specifies the string representation of the function operand.
FunctionBlock	Specifies the string representation of the function block operand.
Input	Specifies the string representation of the input operand.
Local	Specifies the string representation of the local operand.
OrganizationBlock	Specifies the string representation of the organization block operand.
Output	Specifies the string representation of the output operand.
PeripheryInput	Specifies the string representation of the periphery input operand.
PeripheryOutput	Specifies the string representation of the periphery output operand.
SystemFunction	Specifies the string representation of the system function operand.
SystemFunctionBlock	Specifies the string representation of the system function block operand.
Timer	Specifies the string representation of the timer operand.
UserDefinedType	Specifies the string representation of the user defined type operand.
VariableTable	Specifies the string representation of the variable table operand.

Table of Contents

Fields	1
---------------------	---