

# IPlcDeviceInfo Interface

Provides metadata of a single programmable logic controller (PLC).

**Namespace:** [IPS7Lnk.Advanced](#)

**Assembly:** IPS7LnkNet.Advanced (in IPS7LnkNet.Advanced.dll) Version: 1.0.0.0 (1.7.2.0)

## Syntax

C#

```
public interface IPlcDeviceInfo
```

The [IPlcDeviceInfo](#) type exposes the following members.

## Properties

---	Name	Description
	<a href="#">Copyright</a>	Gets a string representing the stored copyright information of the device.
	<a href="#">Device</a>	Gets the <a href="#">IPlcDevice</a> to which the <a href="#">IPlcDeviceInfo</a> belongs.
	<a href="#">HasCopyright</a>	Gets a value indicating whether the <a href="#">Copyright</a> property does provide copyright information.
	<a href="#">HasLocation</a>	Gets a value indicating whether the <a href="#">Location</a> property does provide location information.
	<a href="#">HasMemoryCardSerial</a>	Gets a value indicating whether the <a href="#">MemoryCardSerial</a> property does provide a serial number of an inserted memory card.
	<a href="#">HasModuleName</a>	Gets a value indicating whether the <a href="#">ModuleName</a> property does provide the name of the module used.
	<a href="#">HasModuleSerial</a>	Gets a value indicating whether the <a href="#">ModuleSerial</a> property does provide the serial number of the module used.
	<a href="#">HasModuleType</a>	Gets a value indicating whether the <a href="#">ModuleType</a> property does provide type information of the module used.
	<a href="#">HasName</a>	Gets a value indicating whether the <a href="#">Name</a> property does provide the stored name of the device.
	<a href="#">HasPlantId</a>	Gets a value indicating whether the <a href="#">PlantId</a> property does provide the stored plant identifier of the device.
	<a href="#">HasTime</a>	Gets a value indicating whether the <a href="#">Time</a> property does provide a <a href="#">Nullable&lt;T&gt;</a> object that is set to the current date and time on the device, expressed as the local time.
	<a href="#">Location</a>	Gets a string representing the stored location information of the device.
	<a href="#">MemoryCardSerial</a>	Gets the serial number of an inserted memory card.
	<a href="#">ModuleName</a>	Gets the name of the module used.
	<a href="#">ModuleSerial</a>	Gets the serial number of the module used.
	<a href="#">ModuleType</a>	Gets the type information of the module used.
	<a href="#">Name</a>	Gets a string representing the stored name of the device.
	<a href="#">PlantId</a>	Gets a string representing the stored plant identifier of the device.
	<a href="#">Time</a>	Gets a <a href="#">Nullable&lt;T&gt;</a> object that is set to the current date and time on the device, expressed as the local time.

[Top](#)

## See Also

### Reference

[IPS7Lnk.Advanced Namespace](#)

# Table of Contents

<b>Syntax</b> .....	1
<b>Properties</b> .....	1
<b>See Also</b> .....	2
Reference .....	2

